

# ***can-am***®



**Product Spec Book**

**2025**

---

Vehicle Specifications, Accessories, Parts and Maintenance, and Apparel

# TABLE OF CONTENTS

## VEHICLE SPECIFICATIONS

|                      |    |
|----------------------|----|
| BRP Limited Warranty | 5  |
| Can-Am Origin®       | 6  |
| Can-Am Origin '73    | 8  |
| Can-Am Pulse®        | 10 |
| Can-Am Pulse '73     | 12 |

## ACCESSORIES

|                                   |    |
|-----------------------------------|----|
| Seats and Backrests               | 17 |
| Windshields                       | 18 |
| Protection                        | 18 |
| Cargo and Storage                 | 19 |
| Lights and Electrical Accessories | 20 |
| Covers                            | 21 |

## PARTS AND MAINTENANCE

|                          |    |
|--------------------------|----|
| Genuine Can-Am Parts     | 24 |
| XPS Maintenance Products | 26 |

## APPAREL

|                 |    |
|-----------------|----|
| Sizing Chart    | 29 |
| Protective Gear | 32 |
| Riding Gear     | 34 |
| Sportswear      | 39 |



---

# VEHICLE SPECIFICATIONS

---

# VEHICLE SPECIFICATIONS

## WARRANTY

|                      |   |
|----------------------|---|
| BRP Limited Warranty | 5 |
|----------------------|---|

## CAN-AM ORIGIN

|                   |   |
|-------------------|---|
| Can-Am Origin     | 6 |
| Can-Am Origin '73 | 8 |

## CAN-AM PULSE

|                  |    |
|------------------|----|
| Can-Am Pulse     | 10 |
| Can-Am Pulse '73 | 12 |



# IF WE SELL IT, WE STAND BY IT.

**BRP Limited Warranty\***  
for new riding parts,  
accessories  
and riding gear.

## **1-YEAR LIMITED WARRANTY\*\***

Genuine BRP Parts and Accessories  
installed by you or your authorized BRP dealer

Aftermarket Products sold through BRP  
Riding Gear

## **4-YEAR LIMITED WARRANTY\*\***

Helmets

**GET ALL THE DETAILS FROM YOUR  
CAN-AM MOTORCYCLE DEALER**

\*Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am motorcycle authorized dealer.

\*\*Unless otherwise stipulated or required by law.

This limited warranty does not apply to factory-installed accessories.  
This limited warranty does not apply to Evinrude parts and accessories.

# 2025 CAN-AM ORIGIN®



## CAN-AM ORIGIN

- Dual-sport electric motorcycle
- Versatile motorcycle designed for On and Off-Road riding
- Available in 11kW and 35kW
- Lightweight design for excellent handling

## PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect\* and Apple CarPlay†
- Liquid-cooled system: battery, inverter, motor and on-board charger
- Charging from 20% to 80% in only 50 minutes
- Single-sided swingarm with chaincase
- Active and Passive Regen
- Reverse function
- LinQ® integration for accessorization
- Full KYB® suspension with 255 mm of suspension travel

\*BRIGHT WHITE MODEL SHOWN

ECO / RAIN MODE / SPORT MODE / OFF-ROAD MODE / LINQ COMPATIBLE / BRP CONNECT / APPLE CARPLAY

## MOTOR

|                     |                                                                                                                 |
|---------------------|-----------------------------------------------------------------------------------------------------------------|
| Type                | ROTAX® E-POWER, liquid-cooled                                                                                   |
| Power               | 47 hp peak (35 kW) / 27 hp continuous (20 kW)<br>(Also available in 11 kW / 15 hp version - A1 driving license) |
| Torque Motor        | Peak: 72 Nm from 0 to 4600 RPM                                                                                  |
| Top Speed/Sustained | 80 mph (129 km/h)                                                                                               |
| Acceleration        | 4.3 seconds: 0-60 mph (0-100 km/h)                                                                              |

## BATTERY

|                                         |                                                                                                                |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Type                                    | Integrated, lithium-ion                                                                                        |
| Capacity                                | 8.9 kWh                                                                                                        |
| Cooling System                          | Liquid-cooled: battery, inverter and on-board charger                                                          |
| Estimated Range<br>(when fully charged) | City: 90 miles (145 km)<br>Combined (WMTC*): 71 miles (115 km)<br>Sustained 50 mph (80 km/h): 52 miles (84 km) |
| Function                                | Active Regen, Passive Regen                                                                                    |
| Charger                                 | On-board charger: 6.6 kW (Level 1 & Level 2 compatible)                                                        |
| Connector                               | Type 2 IEC 62196                                                                                               |
| Charging Time:<br>Mode 3 (240 V)        | 50 min. (20-80%)<br>1 hour 30 min. (0-100%)                                                                    |
| Charging Time:<br>Mode 2 (120 V)        | 3 hours 10 min. (20-80%)<br>5 hours 15 min. (0-100%)                                                           |

## DRIVETRAIN

|              |                             |
|--------------|-----------------------------|
| Transmission | Clutchless direct drive     |
| Final Drive  | Chaincase with silent chain |
| Function     | Reverse function            |

## CHASSIS

|                             |                                                                                  |
|-----------------------------|----------------------------------------------------------------------------------|
| Swingarm                    | Single-sided swingarm                                                            |
| Rake                        | 30°                                                                              |
| Trail                       | 118 mm (14.6 in.)                                                                |
| Front Suspension/<br>Travel | KYB 43 mm inverted fork / 255 mm (10 in.)                                        |
| Rear Suspension/<br>Travel  | KYB HPG shock with adjustable preload, compression and rebound / 255 mm (10 in.) |
| Front Brake                 | J.Juan® 2-piston floating caliper, 320 mm disc                                   |
| Rear Brake                  | J.Juan 1-piston floating caliper, 240 mm disc                                    |
| Front Tire                  | Dunlop® D605 90/90 R21 (with tube)                                               |
| Rear Tire                   | Dunlop D605 120/80 R18 (with tube)                                               |
| Wheels                      | Spoked wheel, Carbon black                                                       |
| Front Wheel Size            | 533 x 47 mm (21 x 1.85 in.)                                                      |
| Rear Wheel Size             | 457 x 63.5 mm (18 x 2.5 in.)                                                     |

## COLOR

|                                                                                   |              |
|-----------------------------------------------------------------------------------|--------------|
|  | Bright White |
|  | Carbon Black |

## DIMENSIONS

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| L x W x H<br>(with mirrors) | 2,204 x 861 x 1,414 mm (86.8 x 33.9 x 55.7 in.) |
| Wheelbase                   | 1,503 mm (59 in.)                               |
| Seat Height                 | 865 mm (34 in.)                                 |
| Ground Clearance            | 274 mm (10.8 in.)                               |
| Curb Weight                 | 187 kg (412 lb)                                 |
| Maximum Vehicle<br>Load     | 151 kg (333 lbs)                                |

## INSTRUMENTATION

|                   |                                                |
|-------------------|------------------------------------------------|
| Type              | 10.25 in. touchscreen display with BRP Connect |
| Navigation System | Apple CarPlay                                  |
| Drive Modes       | Normal, ECO, Rain, Sport, Off-Road, Off-Road+  |
| Handlebar Control | Backlit handlebar control module               |

## SAFETY & SECURITY

|     |                             |
|-----|-----------------------------|
| ABS | Anti-Lock Braking System    |
| MTC | Motorcycle Traction Control |

## WARRANTY

|                  |                                    |
|------------------|------------------------------------|
| Vehicle Warranty | 2 years                            |
| Battery Warranty | 5 years / 31,068 miles (50,000 km) |

## FEATURES

- LED headlight
- Glove box with USB port
- LinQ anchor points
- Skid plate

\*WMTC: World Motorcycle Test Cycle

## Feature highlights



### 1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, on-board charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



### 2 10.25 In. Touchscreen display with BRP Connect and Apple CarPlay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



### 3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.



\*CARBON BLACK MODEL SHOWN



### 4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 times more power to the battery and offers greater deceleration. Both Regen can be adjusted depending on your preference.



### 5 Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



### 6 Off-Road performance

Front and rear KYB suspension with 255 mm (10 in.) of suspension travel to absorb the difficult terrain combined with the standard riding position that helps standing up to overcome obstacles in control.

## Key accessories



Full LinQ and LinQ Nano integration



1 LinQ Sport Windshield (219401217)



3 LinQ Top Case (36 L) (219401202)



5 Passenger Seat (219401216)

(Standard on Carbon Black and '73 models)



2 LinQ Nano Tank Bag (219401203)



4 LinQ Saddlebags (22 L) (219401197)

# 2025 CAN-AM ORIGIN® '73



## CAN-AM ORIGIN '73

- Dual-sport electric motorcycle
- Versatile motorcycle designed for On and Off-Road riding
- Available in 35kW
- Lightweight design for excellent handling

## PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect\* and Apple CarPlay†
- Liquid-cooled system: battery, inverter, motor and on-board charger
- Charging from 20% to 80% in only 50 minutes
- Single-sided swingarm with chaincase
- Active and Passive Regen
- Reverse function
- LinQ® integration for accessorization
- Full KYB® suspension with 255 mm of suspension travel
- Premium package with exclusive coloration and trims

ECO / RAIN MODE / SPORT MODE / OFF-ROAD MODE / LINQ COMPATIBLE / BRP CONNECT APPLE CARPLAY

## MOTOR

|                     |                                               |
|---------------------|-----------------------------------------------|
| Type                | ROTAX® E-POWER, liquid-cooled                 |
| Power               | 47 hp peak (35 kW) / 27 hp continuous (20 kW) |
| Torque Motor        | Peak: 72 Nm from 0 to 4600 RPM                |
| Top Speed/Sustained | 80 mph (129 km/h)                             |
| Acceleration        | 4.3 seconds: 0-60 mph (0-100 km/h)            |

## BATTERY

|                                      |                                                                                                                |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Type                                 | Integrated, lithium-ion                                                                                        |
| Capacity                             | 8.9 kWh                                                                                                        |
| Cooling System                       | Liquid-cooled: battery, inverter and on-board charger                                                          |
| Estimated Range (when fully charged) | City: 90 miles (145 km)<br>Combined (WMTC*): 71 miles (115 km)<br>Sustained 50 mph (80 km/h): 52 miles (84 km) |
| Function                             | Active Regen, Passive Regen                                                                                    |
| Charger                              | On-board charger: 6.6 kW (Level 1 & Level 2 compatible)                                                        |
| Connector                            | Type 2 IEC 62196                                                                                               |
| Charging Time: Mode 3 (240 V)        | 50 min. (20-80%)<br>1 hour 30 min. (0-100%)                                                                    |
| Charging Time: Mode 2 (120 V)        | 3 hours 10 min. (20-80%)<br>5 hours 15 min. (0-100%)                                                           |

## DRIVETRAIN

|              |                             |
|--------------|-----------------------------|
| Transmission | Clutchless direct drive     |
| Final Drive  | Chaincase with silent chain |
| Function     | Reverse function            |

## CHASSIS

|                         |                                                                                  |
|-------------------------|----------------------------------------------------------------------------------|
| Swingarm                | Single-sided swingarm                                                            |
| Rake                    | 30°                                                                              |
| Trail                   | 118 mm (14.6 in.)                                                                |
| Front Suspension/Travel | KYB 43 mm inverted fork / 255 mm (10 in.)                                        |
| Rear Suspension/Travel  | KYB HPG shock with adjustable preload, compression and rebound / 255 mm (10 in.) |
| Front Brake             | J.Juan® 2-piston floating caliper, 320 mm disc                                   |
| Rear Brake              | J.Juan® 1-piston floating caliper, 240 mm disc                                   |
| Front Tire              | Dunlop® D605 90/90 R21 (with tube)                                               |
| Rear Tire               | Dunlop D605 120/80 R18 (with tube)                                               |
| Wheels                  | Spoked wheel, Carbon black                                                       |
| Front Wheel Size        | 533 x 47 mm (21 x 1.85 in.)                                                      |
| Rear Wheel Size         | 457 x 63.5 mm (18 x 2.5 in.)                                                     |

## COLOR

|                                                                                   |                       |
|-----------------------------------------------------------------------------------|-----------------------|
|  | Sterling Silver Satin |
|-----------------------------------------------------------------------------------|-----------------------|

## DIMENSIONS

|                          |                                                 |
|--------------------------|-------------------------------------------------|
| L x W x H (with mirrors) | 2,204 x 861 x 1,414 mm (86.8 x 33.9 x 55.7 in.) |
| Wheelbase                | 1,503 mm (59 in.)                               |
| Seat Height              | 865 mm (34 in.)                                 |
| Ground Clearance         | 274 mm (10.8 in.)                               |
| Curb Weight              | 187 kg (412 lb)                                 |
| Maximum Vehicle Load     | 151 kg (333 lbs)                                |

## INSTRUMENTATION

|                   |                                                |
|-------------------|------------------------------------------------|
| Type              | 10.25 in. touchscreen display with BRP Connect |
| Navigation System | Apple CarPlay                                  |
| Drive Modes       | Normal, ECO, Rain, Sport, Off-Road, Off-Road+  |
| Handlebar Control | Backlit handlebar control module               |

## SAFETY & SECURITY

|     |                             |
|-----|-----------------------------|
| ABS | Anti-Lock Braking System    |
| MTC | Motorcycle Traction Control |

## WARRANTY

|                  |                                    |
|------------------|------------------------------------|
| Vehicle Warranty | 2 years                            |
| Battery Warranty | 5 years / 31,068 miles (50,000 km) |

## FEATURES

|                                       |
|---------------------------------------|
| LED headlight                         |
| Glove box with USB port               |
| LinQ anchor points                    |
| Skid plate                            |
| LinQ Windshield                       |
| Signature LED lights                  |
| Vehicle cover                         |
| Exclusive '73 package color and trims |

\*WMTC: World Motorcycle Test Cycle

## Feature highlights



### 1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, on-board charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



### 2 10.25 In. Touchscreen display with BRP Connect and Apple CarPlay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



### 3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.



### 4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 time more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



### 5 Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



### 6 Origin '73 package

Premium package with exclusive coloration, trims and additional features such as a LinQ Windshield for added comfort and Signature LED lights.

## Key accessories



CAN-AM ORIGIN BRIGHT WHITE SHOWN

Full LinQ and LinQ Nano integration



**1 LinQ Adjustable Windshield**  
(219401113)



**3 LinQ Top Case (36 L)**  
(219401202)



**5 Passenger Seat**  
(219401216)  
(Standard on Carbon Black and '73 models)



**2 LinQ Nano Tank Bag**  
(219401203)



**4 LinQ Saddlebags (22 L)**  
(219401197)

# 2025 CAN-AM PULSE®



## CAN-AM PULSE

- Naked electric motorcycle with modern design
- Nimble and agile for urban usage
- Available in 11kW and 35kW
- Exciting and versatile

## PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect\* and Apple CarPlay†
- Liquid-cooled system: battery, inverter, motor and on-board charger
- Charging from 20% to 80% in only 50 minutes
- Single-sided swingarm with chaincase
- Active and Passive Regen
- Reverse function
- LinQ® integration for accessorization

\*BRIGHT WHITE MODEL SHOWN

ECO / RAIN / SPORT / LINQ / BRP CONNECT / APPLE CARPLAY  
MODE / + MODE / COMPATIBLE /

## MOTOR

|                     |                                                                                                                 |
|---------------------|-----------------------------------------------------------------------------------------------------------------|
| Type                | ROTAX® E-POWER, liquid-cooled                                                                                   |
| Power               | 47 hp peak (35 kW) / 27 hp continuous (20 kW)<br>(Also available in 11 kW / 15 hp version - A1 driving license) |
| Torque Motor        | Peak: 72 Nm from 0 to 4600 RPM                                                                                  |
| Top Speed/Sustained | 80 mph (129 km/h)                                                                                               |
| Acceleration        | 3.8 seconds: 0-60 mph (0-100 km/h)                                                                              |

## BATTERY

|                                         |                                                                                                                 |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Type                                    | Integrated, lithium-ion                                                                                         |
| Capacity                                | 8.9 kWh                                                                                                         |
| Cooling System                          | Liquid-cooled: battery, inverter and on-board charger                                                           |
| Estimated Range<br>(when fully charged) | City: 100 miles (160 km)<br>Combined (WMTC*): 80 miles (130 km)<br>Sustained 50 mph (80 km/h): 55 miles (89 km) |
| Function                                | Active Regen, Passive Regen                                                                                     |
| Charger                                 | On-board charger: 6.6 kW (Level 1 & Level 2 compatible)                                                         |
| Connector                               | Type 2 IEC 62196                                                                                                |
| Charging Time:<br>Mode 3 (240 V)        | 50 min. (20-80%)<br>1 hour 30 min. (0-100%)                                                                     |
| Charging Time:<br>Mode 2 (120 V)        | 3 hours 10 min. (20-80%)<br>5 hours 15 min. (0-100%)                                                            |

## DRIVETRAIN

|              |                             |
|--------------|-----------------------------|
| Transmission | Clutchless direct drive     |
| Final Drive  | Chaincase with silent chain |
| Function     | Reverse function            |

## CHASSIS

|                             |                                                                  |
|-----------------------------|------------------------------------------------------------------|
| Swingarm                    | Single-sided swingarm                                            |
| Rake                        | 27.2°                                                            |
| Trail                       | 101 mm (3.97 in.)                                                |
| Front Suspension/<br>Travel | KYB® 41 mm inverted fork / 140 mm                                |
| Rear Suspension/<br>Travel  | SACHS twin-tube coil-over shock with preload adjustment / 140 mm |
| Front Brake                 | J.Juan® 2-piston floating caliper, 320 mm disc                   |
| Rear Brake                  | J.Juan 1-piston floating caliper, 240 mm disc                    |
| Front Tire                  | Dunlop® Sportmax GPR-300 110/70 R17                              |
| Rear Tire                   | Dunlop Sportmax GPR-300 150/60 R17                               |
| Wheels                      | Cast wheel, Carbon Black                                         |
| Front Wheel Size            | 431.8 x 88.9 mm (17 x 3.5 in.)                                   |
| Rear Wheel Size             | 431.8 x 114.3 mm (17 x 4.5 in.)                                  |

## COLOR

- ☐ Bright White
- ☒ Carbon Black

## DIMENSIONS

|                             |                                                 |
|-----------------------------|-------------------------------------------------|
| L x W x H<br>(with mirrors) | 2,030 x 947 x 1,171 mm (79.9 x 37.3 x 46.1 in.) |
| Wheelbase                   | 1,412 mm (55.6 in.)                             |
| Seat Height                 | 784 mm (30.86 in.)                              |
| Ground Clearance            | 146 mm (5.7 in.)                                |
| Curb Weight                 | 177 kg (390 lb)                                 |
| Maximum Vehicle<br>Load     | 151 kg (333 lbs)                                |

## INSTRUMENTATION

|                   |                                                |
|-------------------|------------------------------------------------|
| Type              | 10.25 in. touchscreen display with BRP Connect |
| Navigation System | Apple CarPlay                                  |
| Drive Modes       | Normal, ECO, Rain, Sport+                      |
| Handlebar Control | Backlit handlebar control module               |

## SAFETY & SECURITY

|     |                             |
|-----|-----------------------------|
| ABS | Anti-Lock Braking System    |
| MTC | Motorcycle Traction Control |

## WARRANTY


|                  |                                    |
|------------------|------------------------------------|
| Vehicle Warranty | 2 years                            |
| Battery Warranty | 5 years / 31,068 miles (50,000 km) |

## FEATURES

|                         |
|-------------------------|
| LED headlight           |
| Glove box with USB port |
| LinQ anchor points      |
| Skid plate              |

\*WMTC: World Motorcycle Test Cycle

## Feature highlights



### 1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, on-board charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



### 2 10.25 In. Touchscreen display with BRP Connect and Apple CarPlay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



### 3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.



\*CARBON BLACK MODEL SHOWN



### 4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 time more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



### 5 Lightweight architecture

The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



### 6 Reverse function

Reverse function to assist reversing and parking maneuvers. Simply press and hold the start button to activate the reverse function.

## Key accessories



Full LinQ and LinQ Nano integration



**1 LinQ Sport Windshield**  
(219401217)



**3 LinQ Top Case (36 L)**  
(219401262)



**5 Passenger Seat**  
(219401200)  
(Standard on Carbon Black and '73 models)



**2 LinQ Nano Tank Bag**  
(219401204)



**4 LinQ Saddlebags (22 L)**  
(219401261)

# 2025 CAN-AM PULSE® '73



## CAN-AM PULSE '73

- Naked electric motorcycle with modern design
- Nimble and agile for urban usage
- Available in 35kW
- Exciting and versatile

## PACKAGE HIGHLIGHTS

- 10.25 in. touchscreen display with BRP Connect\* and Apple CarPlay†
- Liquid-cooled system: battery, inverter, motor and on-board charger
- Charging from 20% to 80% in only 50 minutes
- Single-sided swingarm with chaincase
- Active and Passive Regen
- Reverse function
- LinQ® integration for accessorization
- Premium package with exclusive coloration and trims
- LinQ gauge spoiler and Signature LED lights

ECO / RAIN / SPORT / LINQ / BRP CONNECT  
MODE / + MODE / COMPATIBLE / APPLE CARPLAY

## MOTOR

|                     |                                               |
|---------------------|-----------------------------------------------|
| Type                | ROTAX® E-POWER, liquid-cooled                 |
| Power               | 47 hp peak (35 kW) / 27 hp continuous (20 kW) |
| Torque Motor        | Peak: 72 Nm from 0 to 4600 RPM                |
| Top Speed/Sustained | 80 mph (129 km/h)                             |
| Acceleration        | 3.8 seconds: 0-60 mph (0-100 km/h)            |

## BATTERY

|                                      |                                                                                                                 |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Type                                 | Integrated, lithium-ion                                                                                         |
| Capacity                             | 8.9 kWh                                                                                                         |
| Cooling System                       | Liquid-cooled: battery, inverter and on-board charger                                                           |
| Estimated Range (when fully charged) | City: 100 miles (160 km)<br>Combined (WMTC*): 80 miles (130 km)<br>Sustained 50 mph (80 km/h): 55 miles (89 km) |
| Function                             | Active Regen, Passive Regen                                                                                     |
| Charger                              | On-board charger: 6.6 kW (Level 1 & Level 2 compatible)                                                         |
| Connector                            | Type 2 IEC 62196                                                                                                |
| Charging Time: Mode 3 (240 V)        | 50 min. (20-80%)<br>1 hour 30 min. (0-100%)                                                                     |
| Charging Time: Mode 2 (120 V)        | 3 hours 10 min. (20-80%)<br>5 hours 15 min. (0-100%)                                                            |

## DRIVETRAIN

|              |                             |
|--------------|-----------------------------|
| Transmission | Clutchless direct drive     |
| Final Drive  | Chaincase with silent chain |
| Function     | Reverse function            |

## CHASSIS

|                         |                                                                  |
|-------------------------|------------------------------------------------------------------|
| Swingarm                | Single-sided swingarm                                            |
| Rake                    | 27.2°                                                            |
| Trail                   | 101 mm (3.97 in.)                                                |
| Front Suspension/Travel | KYB® 41 mm inverted fork / 140 mm                                |
| Rear Suspension/Travel  | SACHS twin-tube coil-over shock with preload adjustment / 140 mm |
| Front Brake             | J.Juan® 2-piston floating caliper, 320 mm disc                   |
| Rear Brake              | J.Juan 1-piston floating caliper, 240 mm disc                    |
| Front Tire              | Dunlop® Sportmax GPR-300 110/70 R17                              |
| Rear Tire               | Dunlop Sportmax GPR-300 150/60 R17                               |
| Wheels                  | Cast wheel, Carbon Black                                         |
| Front Wheel Size        | 431.8 x 88.9 mm (17 x 3.5 in.)                                   |
| Rear Wheel Size         | 431.8 x 114.3 mm (17 x 4.5 in.)                                  |

## COLOR

|                                                                                   |                       |
|-----------------------------------------------------------------------------------|-----------------------|
|  | Sterling Silver Satin |
|-----------------------------------------------------------------------------------|-----------------------|

## DIMENSIONS

|                          |                                                 |
|--------------------------|-------------------------------------------------|
| L x W x H (with mirrors) | 2,030 x 947 x 1,171 mm (79.9 x 37.3 x 46.1 in.) |
| Wheelbase                | 1,412 mm (55.6 in.)                             |
| Seat Height              | 784 mm (30.86 in.)                              |
| Ground Clearance         | 146 mm (5.7 in.)                                |
| Curb Weight              | 177 kg (390 lb)                                 |
| Maximum Vehicle Load     | 151 kg (333 lb)                                 |

## INSTRUMENTATION

|                   |                                                |
|-------------------|------------------------------------------------|
| Type              | 10.25 in. touchscreen display with BRP Connect |
| Navigation System | Apple CarPlay                                  |
| Drive Modes       | Normal, ECO, Rain, Sport+                      |
| Handlebar Control | Backlit handlebar control module               |

## SAFETY & SECURITY

|     |                             |
|-----|-----------------------------|
| ABS | Anti-Lock Braking System    |
| MTC | Motorcycle Traction Control |

## WARRANTY

|                  |                                    |
|------------------|------------------------------------|
| Vehicle Warranty | 2 years                            |
| Battery Warranty | 5 years / 31,068 miles (50,000 km) |

## FEATURES

|                                       |
|---------------------------------------|
| LED headlight                         |
| Glove box with USB port               |
| LinQ anchor points                    |
| Skid plate                            |
| LinQ gauge spoiler                    |
| Signature LED lights                  |
| Vehicle cover                         |
| Exclusive '73 package color and trims |

\*WMTC: World Motorcycle Test Cycle

## Feature highlights



### 1 Liquid-cooled system

Industry-leading cooling system: battery, inverter, on-board charger and motor are liquid-cooled. Liquid cooling offers a more efficient cooling process, optimizing charging speed and performance in almost any conditions compared to an air-cooled system.



### 2 10.25 In. Touchscreen display with BRP Connect and Apple CarPlay

A high-resolution infotainment system that puts an interactive, informative and customizable experience that's both seamless and simple, right at your fingertips.



### 3 Chaincase

The chaincase protects the high-quality silent chain from the elements and keeps it lubricated with oil. An automatic tensioner ensures perfect chain tension without the need for regular maintenance.



### 4 Passive and Active Regen

When the accelerator is released, Passive Regen gives back some energy to the battery while decelerating. Active Regen gives up to 4 times more power to the battery and offer greater deceleration. Both Regen can be adjusted depending on your preference.



### 5 Lightweight architecture


The battery is an integral part of the chassis, reducing the number of parts and the overall weight of the motorcycle, making it very agile and easy to handle.



### 6 Pulse '73 package

Premium package with exclusive coloration, trims and additional features such as a LinQ Gauge spoiler and Signature LED lights.

## Key accessories



CAN-AM PULSE  
BRIGHT WHITE SHOWN

Full LinQ and LinQ Nano integration



1 LinQ Sport Windshield  
(219401217)



3 LinQ Top Case (36 L)  
(219401262)



5 Passenger Seat  
(219401200)  
(Standard on Carbon Black and '73 models)




2 LinQ Nano Tank Bag  
(219401204)



4 LinQ Saddlebags (22 L)  
(219401261)

|                   |                                         | CAN-AM ORIGIN                                                                                                   | CAN-AM ORIGIN '73                                                                                                                                                                 | CAN-AM PULSE                                                                                                    | CAN-AM PULSE '73                                                                                                                                                                     |
|-------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                         |                                |                                                                                                  |                               |                                                                                                   |
| COLOR             |                                         | Bright White<br>Carbon Black                                                                                    | Sterling Silver Satin                                                                                                                                                             | Bright White<br>Carbon Black                                                                                    | Sterling Silver Satin                                                                                                                                                                |
| MOTOR             | Type                                    | ROTAX® E-POWER, liquid-cooled                                                                                   |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Power                                   | 47 hp peak (35 kW) / 27 hp continuous (20 kW)<br>(Also available in 11 kW / 15 hp version - A1 driving license) | 47 hp peak (35 kW) / 27 hp continuous (20 kW)                                                                                                                                     | 47 hp peak (35 kW) / 27 hp continuous (20 kW)<br>(Also available in 11 kW / 15 hp version - A1 driving license) | 47 hp peak (35 kW) / 27 hp continuous (20 kW)                                                                                                                                        |
|                   | Torque Motor                            | Peak: 72 Nm from 0 to 4600 RPM                                                                                  |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Top Speed/<br>Sustained                 | 4.3 seconds: 0-60 mph (0-100 km/h)                                                                              |                                                                                                                                                                                   | 3.8 seconds: 0-60 mph (0-100 km/h)                                                                              |                                                                                                                                                                                      |
|                   | Top Speed/<br>Sustained                 | 80 mph (129 km/h)                                                                                               |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
| BATTERY           | Type                                    | Integrated, lithium-ion                                                                                         |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Capacity                                | Liquid-cooled: battery, inverter and on-board charger                                                           |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Cooling System                          | 8.9 kWh                                                                                                         |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Estimated Range<br>(when fully charged) | City: 90 miles (145 km)<br>Combined (WMTC*): 71 miles (115 km)<br>Sustained 50 mph (80 km/h): 52 miles (84 km)  |                                                                                                                                                                                   | City: 100 miles (160 km)<br>Combined (WMTC*): 80 miles (130 km)<br>Sustained 50 mph (80 km/h): 55 miles (89 km) |                                                                                                                                                                                      |
|                   | Charger                                 | On-board charger: 6.6 kW ( Level 1 & Level 2 compatible)                                                        |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Connector                               | Type 2 IEC 62196                                                                                                |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Charging Time:<br>Mode 3 (240 V)        | 50 min. (20-80%)<br>1 hour 30 min. (0-100%)                                                                     |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Charging Time:<br>Mode 2 (120 V)        | 3 hours 10 min. (20-80%)<br>5 hours 15 min. (0-100%)                                                            |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
| DRIVETRAIN        | Transmission                            | Clutchless direct drive                                                                                         |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Final Drive                             | Chaincase with silent chain                                                                                     |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Function                                | Reverse function                                                                                                |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
| SAFETY & SECURITY | ABS                                     | Anti-Lock Braking System                                                                                        |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | MTC                                     | Motorcycle Traction Control                                                                                     |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
| CHASSIS           | Rake                                    | 30°                                                                                                             |                                                                                                                                                                                   | 27.2°                                                                                                           |                                                                                                                                                                                      |
|                   | Trail                                   | 118 mm (14.6 in.)                                                                                               |                                                                                                                                                                                   | 101 mm (3.97 in.)                                                                                               |                                                                                                                                                                                      |
|                   | Front Suspension/<br>Travel             | KYB 43 mm inverted fork / 255 mm (10 in.)                                                                       |                                                                                                                                                                                   | KYB® 41 mm inverted fork / 140 mm                                                                               |                                                                                                                                                                                      |
|                   | Rear Suspension/<br>Travel              | KYB HPG shock with adjustable preload, compression and rebound / 255 mm (10 in.)                                |                                                                                                                                                                                   | SACHS twin-tube coil-over shock with preload adjustment / 140 mm                                                |                                                                                                                                                                                      |
|                   | Front Brake                             | J.Juan® 2-piston floating caliper, 320 mm disc                                                                  |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Rear Brake                              | J.Juan 1-piston floating caliper, 240 mm disc                                                                   |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Front Tire                              | Dunlop® D605 90/90 R21 (with tube)                                                                              |                                                                                                                                                                                   | Dunlop® Sportmax GPR-300 110/70 R17                                                                             |                                                                                                                                                                                      |
|                   | Rear Tire                               | Dunlop D605 120/80 R18 (with tube)                                                                              |                                                                                                                                                                                   | Dunlop Sportmax GPR-300 150/60 R17                                                                              |                                                                                                                                                                                      |
| DIMENSIONS        | L x W x H<br>(with mirrors)             | 2,204 x 861 x 1,414 mm(86.8 x 33.9 x 55.7 in. )                                                                 |                                                                                                                                                                                   | 2,030 x 947 x 1,171 mm (79.9 x 37.3 x 46.1 in.)                                                                 |                                                                                                                                                                                      |
|                   | Wheelbase                               | 1,503 mm (59 in.)                                                                                               |                                                                                                                                                                                   | 1,412 mm (55.6 in.)                                                                                             |                                                                                                                                                                                      |
|                   | Seat Height                             | 865 mm (34 in.)                                                                                                 |                                                                                                                                                                                   | 784 mm (30.86 in.)                                                                                              |                                                                                                                                                                                      |
|                   | Ground Clearance                        | 274 mm (10.8 in.)                                                                                               |                                                                                                                                                                                   | 146 mm (5.7 in.)                                                                                                |                                                                                                                                                                                      |
|                   | Curb Weight                             | 187 kg (412 lb)                                                                                                 |                                                                                                                                                                                   | 177 kg (390 lb)                                                                                                 |                                                                                                                                                                                      |
|                   | Maximum Vehicle Load                    | 151 kg (333 lbs)                                                                                                |                                                                                                                                                                                   | 151 kg (333 lbs)                                                                                                |                                                                                                                                                                                      |
| INSTRUMENTATION   | Type                                    | 10.25 in. touchscreen display with BRP Connect                                                                  |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Navigation System                       | Apple CarPlay                                                                                                   |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
|                   | Drive Modes                             | Normal, ECO, Rain, Sport, Off-Road, Off-Road+                                                                   |                                                                                                                                                                                   | Normal, ECO, Rain, Sport+                                                                                       |                                                                                                                                                                                      |
| WARRANTY          |                                         | Vehicle Warranty: 2 years<br>Battery Warranty: 5 years / 31,068 miles (50,000 km)                               |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |
| FEATURES          | Feature highlights                      | LED headlight<br>Glove box with USB port<br>LinQ anchor points<br>Skid plate                                    | LED headlight<br>Glove box with USB port<br>LinQ anchor points<br>Skid plate<br>LinQ Windshield<br>Signature LED lights<br>Vehicle cover<br>Exclusive '73 package color and trims | LED headlight<br>Glove box with USB port<br>LinQ anchor points<br>Skid plate                                    | LED headlight<br>Glove box with USB port<br>LinQ anchor points<br>Skid plate<br>LinQ gauge spoiler<br>Signature LED lights<br>Vehicle cover<br>Exclusive '73 package color and trims |
|                   |                                         |                                                                                                                 |                                                                                                                                                                                   |                                                                                                                 |                                                                                                                                                                                      |



**ACCESSORIES**

---

# ACCESSORIES

---

|                                   |    |
|-----------------------------------|----|
| Seats and Backrests               | 17 |
| Windshields                       | 18 |
| Protection                        | 18 |
| Cargo and Storage                 | 19 |
| Lights and Electrical Accessories | 20 |
| Lighting                          | 20 |
| Covers                            | 21 |

# SEATS AND BACKRESTS

## Seats

### Driver Comfort Seat

All Origin models

**219401205**



- Premium materials with a unique texture.
- Optimized shape, foam thickness and density to improve comfort.
- Features embossed logos for a stylish look.

### Passenger Seat & Footpegs

All Origin models

**219401216**



- Designed to transform a 1-up to a 2-up configuration in minutes.
- Complete kit includes seat, handles and pegs.
- Same material as stock seat.
- Designed to match the Origin style.
- Compatible with Driver Comfort Seat and LinQ Saddlebags (22 L).

### Passenger Seat & Footpegs

All Pulse models

**219401200**



- Designed to transform a 1-up to a 2-up configuration in minutes.
- Complete kit includes seat, handles and pegs.
- Same material as stock seat.
- Designed to match the Pulse style.
- Compatible with Driver Comfort Seat and LinQ Saddlebags (22 L).

### Driver Comfort Seat

All Pulse models

**219401206**



- Premium materials with a unique texture.
- Optimized shape, foam thickness and density to improve comfort.
- Features embossed logos for a stylish look.

# WINDSHIELDS

## LinQ Adjustable Windshield

All Origin models

**219401113**



- LinQ Nano anchors integrated in gauge support.
- Two levels of adjustability: High or low. 3 in. (75 mm) adjustment.
- Addition of wind protection: 11 in. (287 mm) at low position and 14 in. (355 mm) at high position.
- Installs in seconds using LinQ mounts.
- Opening in the front of the windshield which reduces noise and improves the stability of the helmet.
- Grants wind protection at the helmet level.

## LinQ Windshield

All Origin except 73

**219401291**



- Quick LinQ release.
- Adds 4 in. (100 mm) of wind protection.
- Black tinted (75% light transmission).
- Stock on Origin 73 models.

## LinQ Sport Windshield

All Pulse models

**219401217**



- Tinted polycarbonate windshield with hard coating (14% light transmission).
- 4.5 mm thickness helps absorb vibration at high speeds.
- Reduces pressure on the chest of the driver.
- Grants wind protection at the chest level.
- LinQ Nano Anchors integrated in gauge support.
- Installs in seconds using LinQ mounts.

# PROTECTION

## Adventure Side Guards

All Origin models

■ **219401201** • Carbon Black



- High strength steel construction maximizes durability while minimizing weight.
- Carbon black powder coated.
- Made from 1 in. (25 mm) tubing, protecting each side of the motorcycle.
- Gives a rugged adventure look to the Origin.
- Compatible with Fog Lights.

## Aluminum Hand guards

All Origin and Pulse models

**219401218**



- Extra protection for the hands and brake lever.
- Engineered for impact resistance and durability.
- Forged aluminum construction.
- Stunning wrap-around forged aluminum construction adding an exciting adventure look to the motorcycle.
- Required for installation of the Hand guard Deflectors (219401127).
- Laser-etched Can-Am branding gives the handguards a premium look.

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                      |                  |  |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| <b>Hand guard Deflectors</b>                                                      | All Origin and Pulse models                                                                                                                                                                                                                                                                                                                                                          | <b>219401127</b> |  |
|  | <ul style="list-style-type: none"> <li>• High strength polymer construction offers additional wind protection for the hands and wrists in all road conditions.</li> <li>• Engineered for impact resistance and durability.</li> <li>• Require Aluminum Handguards for installation (219401218).</li> </ul>                                                                           |                  |  |
| <b>Axle Sliders Kit</b>                                                           | All Pulse models                                                                                                                                                                                                                                                                                                                                                                     | <b>219401207</b> |  |
|  | <ul style="list-style-type: none"> <li>• Helps to protect important aesthetic elements of the motorcycle if it is dropped.</li> <li>• High strength polymer construction.</li> <li>• Engineered for impact resistance and durability.</li> <li>• Designed to match the Pulse style.</li> <li>• Easy to install.</li> </ul>                                                           |                  |  |
| <b>10.25" Color Touchscreen Protector</b>                                         | All Pulse models                                                                                                                                                                                                                                                                                                                                                                     | <b>860202680</b> |  |
|  | <ul style="list-style-type: none"> <li>• Tempered glass - 0.3 mm thick.</li> <li>• 9H hardness for tough protection.</li> <li>• 100% bubble free adhesive.</li> <li>• Anti-scratch, anti-glare and anti-fingerprint.</li> <li>• Maintains 99.99% clarity.</li> <li>• Easy to clean.</li> <li>• Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.</li> </ul> |                  |  |

## CARGO AND STORAGE

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                  |  |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| <b>LinQ Saddlebags (22 L)</b>                                                       | All Origin models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>219401197</b> |  |
|  | <ul style="list-style-type: none"> <li>• Water resistant bags keep contents safe and dry.</li> <li>• 22-litre capacity.</li> <li>• Mounts on the motorcycle using stock LinQ Nano mounting points.</li> <li>• Multiple pockets and dedicated laptop compartment.</li> <li>• Inner bag included that can be carried.</li> <li>• Bright yellow polyester inner liner with removable divider makes items easy to organize and find quickly.</li> <li>• Waterproof and dustproof roll-down closure.</li> <li>• Innovative lockable strap system to secure contents of the bag.</li> <li>• 2 keys included.</li> <li>• Easy on/off but also lockable on the bike.</li> <li>• Compatible with passenger seat.</li> <li>• Sold in pairs.</li> </ul> |                  |  |
| <b>LinQ Nano Tank Bag</b>                                                           | All Origin models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>219401203</b> |  |
|  | <ul style="list-style-type: none"> <li>• Weatherproof tank bag.</li> <li>• Increases the stock cargo capacity of the motorcycle.</li> <li>• Safely and securely stow away keys, wallet, ID and more.</li> <li>• Integrated mobile phone pocket with clear window and integrated access to USB port inside.</li> <li>• Convenient easy-access storage at your fingertips.</li> <li>• Easy on/off with LinQ Nano system.</li> <li>• The yellow interior helps you find what you're looking for in seconds.</li> </ul>                                                                                                                                                                                                                          |                  |  |
| <b>LinQ Top Case (36 L)</b>                                                         | All Origin and Pulse models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>219401202</b> |  |
|  | <ul style="list-style-type: none"> <li>• Weatherproof top case.</li> <li>• 36-litre capacity.</li> <li>• Installs on the tail section of the motorcycle.</li> <li>• No rack needed.</li> <li>• Quick and easy toolless LinQ system.</li> <li>• Removes as effortlessly as it installs.</li> <li>• Fits all sizes of helmet.</li> <li>• Possibility of installing a bright yellow inner liner designed expressly for the Top Case.</li> <li>• Incompatible with Passenger Seat or Passenger Comfort Seat.</li> <li>• One key for everything! Extra barrel provided with saddlebags to have a single key for both accessories.</li> </ul>                                                                                                      |                  |  |

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                  |  |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| <b>Top Case Inner Liner</b>                                                       | All Origin and Pulse models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>219401257</b> |  |
|  | <ul style="list-style-type: none"> <li>• Weather resistant.</li> <li>• The yellow interior helps you find what you're looking for in seconds.</li> <li>• Designed expressly for the LinQ Top Case (36 L) (219401202).</li> <li>• Interior and exterior pockets with zippers.</li> <li>• Easily transportable with straps.</li> <li>• Requires LinQ Top Case.</li> </ul>                                                                                                                                                                                                                                                                                                                                                        |                  |  |
| <b>LinQ Top Case (36 L) Backrest Pad</b>                                          | All Origin and Pulse models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>219401270</b> |  |
|  | <ul style="list-style-type: none"> <li>• Backrest cushion made from injected polyurethane foam covered with vinyl that can resist all riding conditions.</li> <li>• Drilling point visible from the inside of top case for an easy installation.</li> <li>• The mounting screws come with sealing rings to ensure impermeability.</li> <li>• Requires LinQ Top Case (219401202) for installation.</li> </ul>                                                                                                                                                                                                                                                                                                                   |                  |  |
| <b>LinQ Nano Tank Bag</b>                                                         | All Pulse models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>219401204</b> |  |
|  | <ul style="list-style-type: none"> <li>• Weatherproof tank bag.</li> <li>• Increases the stock cargo capacity of the motorcycle.</li> <li>• Safely and securely stow away keys, wallet, ID and more.</li> <li>• Integrated mobile phone pocket with clear window and integrated access to USB port.</li> <li>• Convenient easy-access storage at your fingertips.</li> <li>• Easy on/off with LinQ Nano system.</li> <li>• The yellow interior helps you find what you're looking for in seconds.</li> </ul>                                                                                                                                                                                                                   |                  |  |
| <b>LinQ Saddlebags (22 L)</b>                                                     | All Pulse models                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>219401261</b> |  |
|  | <ul style="list-style-type: none"> <li>• Water resistant bags keep contents safe and dry.</li> <li>• 22-litre capacity.</li> <li>• Stock LinQ Nano mounting points on the motorcycle.</li> <li>• Multiple pockets and dedicated laptop compartment.</li> <li>• Inner bag included that can be carried.</li> <li>• Bright yellow polyester inner liner with removable divider makes items easy to organize and find quickly.</li> <li>• Waterproof and dustproof roll-down closure.</li> <li>• Innovative lockable strap system to secure content of the bag.</li> <li>• 2 keys included.</li> <li>• Easy on/off but also lockable on the bike.</li> <li>• Compatible with passenger seat.</li> <li>• Sold in pairs.</li> </ul> |                  |  |

## LIGHTS AND ELECTRICAL ACCESSORIES

|                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                              |                                      |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--|
| <b>LED Fog Lights</b>                                                                                                                                                                                | All Origin models<br>All Pulse models                                                                                                                                                                                                                                                                                                                        | <b>219401198</b><br><b>219401275</b> |  |
| <br>219401198<br><br>219401275 | <ul style="list-style-type: none"> <li>• 1.5 W LED lights producing 800 lumens each.</li> <li>• Legal according to European and North American regulations.</li> <li>• Supplied with an independent switch for easy operation.</li> <li>• Easy installation and compatible with motorcycle harness.</li> <li>• Automotive level quality lighting.</li> </ul> |                                      |  |

|  |                             |                  |  |
|--|-----------------------------|------------------|--|
|  | All Origin models except 73 | <b>219401289</b> |  |
|  | All Pulse models except 73  | <b>219401292</b> |  |

## Front Position Lamp



219401289

219401292

- Creates an unmistakable, distinctive look.
- Automatically turns on and off smoothly and gradually.
- Uses bright and energy-efficient LEDs.
- Does not provide additional lighting for riding.
- Lights will pulse while the motorcycle is plugged in for charging.
- Stock equipment on Origin 73 and Pulse 73 models.

|  |                             |                  |  |
|--|-----------------------------|------------------|--|
|  | All Origin and Pulse models | <b>219401196</b> |  |
|--|-----------------------------|------------------|--|

## Heated Driver Grips



- Heat levels for grips displayed on motorcycle screen.
- Ergonomic button integrated on LH grip.
- Five temperature settings.
- Hold button to reach maximum heat quickly.
- Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- ECE compliant.
- Plug-and-play installation.
- Clamp-on grips, no glue required.

|  |                             |                                 |                                |
|--|-----------------------------|---------------------------------|--------------------------------|
|  | All Origin and Pulse models | <b>219401260 - Europe (12A)</b> |                                |
|  |                             | <b>219401266- UK</b>            | <b>219401310 - Europe (8A)</b> |

## Charging Cable Mode 2 Type 2



- Features compact size, overheating protection mechanism, and an IP67 ingress protection rating.
- Bright and smooth panel design with built-in LED indicators.
- Operates in a wide range of temperatures (-30°C to 50°C).
- Included:
  - 1 Mobile connector - 9.5' (3 M) Cable.
  - 1 Storage bag.
  - AC Type Plug:
    - CE Type G for 219401266 (UK).
    - CE Type E for 219401260 and 219401310 (Europe).
- Voltage: 240V
- Charging power: 12A ( 219401266, 219401260) or 8A (219401310).

|  |                             |                  |  |
|--|-----------------------------|------------------|--|
|  | All Origin and Pulse models | <b>219401274</b> |  |
|--|-----------------------------|------------------|--|

## Charging Cable Mode 3 Type 2



- A Mode 3 charging cable is a connecting cable between the charging station and the electric motorcycle.
- IP55 ingress protection rating.
- Operates in a wide range of temperature ( -40°C to 50°C)
- Included:
  - 1 Mobile connector - 23' (7 M.) Cable.
  - 1 Storage bag.
- Voltage: 480V
- Charging Power: 32A


# COVERS

|  |                   |                  |  |
|--|-------------------|------------------|--|
|  | All Origin models | <b>219401212</b> |  |
|  | All Pulse models  | <b>219401213</b> |  |

## Outdoor Cover

(not illustrated)

- Rugged all-weather protection perfect for temporary storage.
- Ultra-durable solution-dyed, mildew-resistant 300-denier polyester construction.
- Easy to maintain.
- Equipped with anti-scratch lining.
- Ample sized to accommodate windshield and any accessory.
- Port access to recharge the motorcycle.



---

# PARTS AND MAINTENANCE

---

---

# PARTS AND MAINTENANCE

---

|                          |    |
|--------------------------|----|
| Genuine Can-Am Parts     | 24 |
| XPS Maintenance Products | 26 |

# GENUINE CAN-AM PARTS

|                                                     |                             |                  |  |
|-----------------------------------------------------|-----------------------------|------------------|--|
| <b>Front Brake Pad Kit (2 pads + hardware)</b>      | All Origin and Pulse models | <b>219800567</b> |  |
| (not illustrated) • 1 kit for complete front wheel. |                             |                  |  |

|                                                    |                             |                  |  |
|----------------------------------------------------|-----------------------------|------------------|--|
| <b>Rear Brake Pad Kit (2 pads + hardware)</b>      | All Origin and Pulse models | <b>219800565</b> |  |
| (not illustrated) • 1 kit for complete rear wheel. |                             |                  |  |

|                             |                  |                                        |  |
|-----------------------------|------------------|----------------------------------------|--|
| <b>Front Wheel Assembly</b> | Origin models    | <b>705503568</b> • Wheel size: 21x1.85 |  |
|                             | Origin 73 models | <b>705503860</b> • Wheel size: 21x1.85 |  |
|                             | Pulse models     | <b>705503159</b> • Wheel size: 17x3.00 |  |
|                             | Pulse 73 models  | <b>705503858</b> • Wheel size: 17x3.00 |  |
| (not illustrated)           |                  |                                        |  |

|                                                                                                    |                   |                  |            |
|----------------------------------------------------------------------------------------------------|-------------------|------------------|------------|
| <b>Front Wheel Bearing Kit</b>                                                                     | All Origin models | <b>219800576</b> | <b>N/A</b> |
|                                                                                                    | All Pulse models  | <b>219800591</b> |            |
| <i>(not illustrated)</i> • Includes: sleeve (1), backing ring (1), bearings (2) and oil seals (2). |                   |                  |            |

|                         |                   |                  |  |
|-------------------------|-------------------|------------------|--|
| <b>Front Tire</b>       | All Origin models | <b>705503154</b> |  |
| • Tire size: 90/90-R21. |                   |                  |  |



|                          |                   |                  |  |
|--------------------------|-------------------|------------------|--|
| <b>Rear Tire</b>         | All Origin models | <b>705503145</b> |  |
| • Tire size: 120/80-R18. |                   |                  |  |




|                          |                  |                  |  |
|--------------------------|------------------|------------------|--|
| <b>Front Tire</b>        | All Pulse models | <b>705503158</b> |  |
| • Tire size: 110/70-R17. |                  |                  |  |



|                          |                  |                  |  |
|--------------------------|------------------|------------------|--|
| <b>Rear Tire</b>         | All Pulse models | <b>705503593</b> |  |
| • Tire size: 150/60-R17. |                  |                  |  |



|                                                                                                                                                                                                                                                                                                                                      |                                       |                                                     |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------|------------|
| <b>Handlebar</b>                                                                                                                                                                                                                                                                                                                     | All Origin models<br>All Pulse models | <b>709402517</b><br><b>709402518</b>                |            |
| <i>(not illustrated)</i>                                                                                                                                                                                                                                                                                                             |                                       |                                                     |            |
| <b>Handlebar Grip</b>                                                                                                                                                                                                                                                                                                                | All Origin and Pulse models           | <b>709401984</b> • Left<br><b>709401985</b> • Right |            |
| <i>(not illustrated)</i>                                                                                                                                                                                                                                                                                                             |                                       |                                                     |            |
| <b>Left Hand Side Mirror</b>                                                                                                                                                                                                                                                                                                         | Origin                                | <b>709402583</b>                                    |            |
|  <ul style="list-style-type: none"> <li>• Handlebar mirror support not included.</li> </ul>                                                                                                                                                         |                                       |                                                     |            |
| <b>Right Hand Side Mirror</b>                                                                                                                                                                                                                                                                                                        | Origin                                | <b>709402584</b>                                    |            |
|  <ul style="list-style-type: none"> <li>• Handlebar mirror support not included.</li> </ul>                                                                                                                                                         |                                       |                                                     |            |
| <b>Left Hand Side Mirror</b>                                                                                                                                                                                                                                                                                                         | Pulse                                 | <b>709403139</b>                                    |            |
|  <ul style="list-style-type: none"> <li>• Mounts on bar end. Includes mirror and hardware for installation.</li> </ul>                                                                                                                              |                                       |                                                     |            |
| <b>Right Hand Side Mirror</b>                                                                                                                                                                                                                                                                                                        | Pulse                                 | <b>709403140</b>                                    |            |
|  <ul style="list-style-type: none"> <li>• Mounts on bar end. Includes mirror and hardware for installation.</li> </ul>                                                                                                                            |                                       |                                                     |            |
| <b>Fork Seal Repair Kit</b>                                                                                                                                                                                                                                                                                                          | All Origin models<br>All Pulse models | <b>219800582</b><br><b>219800587</b>                | <b>N/A</b> |
| <i>(not illustrated)</i>                                                                                                                                                                                                                                                                                                             |                                       |                                                     |            |
| <ul style="list-style-type: none"> <li>• Includes: oil seals (2), dust seals (2), snap rings (2) and washers (2).</li> </ul>                                                                                                                                                                                                         |                                       |                                                     |            |
| <b>12 V Battery</b>                                                                                                                                                                                                                                                                                                                  | All Origin and Pulse models           | <b>219800573</b>                                    | <b>N/A</b> |
| <i>(not illustrated)</i>                                                                                                                                                                                                                                                                                                             |                                       |                                                     |            |
| <ul style="list-style-type: none"> <li>• 6Ah, 90 C.C.A.</li> <li>• AGM construction.</li> <li>• Factory activated.</li> <li>• Maintenance free.</li> </ul>                                                                                                                                                                           |                                       |                                                     |            |
| <b>Yuasa 1.2 Amp Automatic Battery Charger &amp; Maintainer</b>                                                                                                                                                                                                                                                                      | All Origin and Pulse models           | <b>529036620</b>                                    |            |
|  <ul style="list-style-type: none"> <li>• Automatically switches to maintenance mode after battery reaches peak voltage.</li> <li>• Designed to prevent overcharging.</li> <li>• 120V, US wall plug</li> <li>• Not available in Europe</li> </ul> |                                       |                                                     |            |

# XPS MAINTENANCE PRODUCTS

## XPS On-Road EV Chaincase Fluid

9779709 (US) / 9779475 (Europe)

(not illustrated)

- Designed specifically for Can-Am On-Road chaincase systems with purpose of decreasing friction allowing for optimum range.

## DOT 4 Brake Fluid

9779151 (US) / 9779207 (Europe) • 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements.
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

## Extended Life Pre-mixed Coolant

9779150 • 946 ml / 1 quart



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.
- Long-life, 5-year formula specially formulated for BRP vehicles.
- Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

## Anti-corrosive Lubricant

9779701 • 12 oz / 340 g



- Multi-purpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.



---

# APPAREL

---

---


# APPAREL

---

|                 |    |
|-----------------|----|
| Sizing Chart    | 29 |
| Protective Gear | 32 |
| Riding Gear     | 34 |
| Sportswear      | 39 |

# SIZING CHART

## HOW TO MEASURE



- For best results, have someone else take measurements.
- Measure body in underwear.
- Tape must be snug but not tight.
- If measurements fall between two sizes, order the larger size.

|                       |                                                                                                                                                                |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1 HEAD</b>         | Around your head, from the center of the forehead, above the ears and over the natural bump at the back of the head.                                           |
| <b>2 ARM LENGTH</b>   | Let the hands hang down on the side in a slightly bent position. Measure from the center of the back of your neck, along the length of your arm, to the wrist. |
| <b>3 CHEST / BUST</b> | Measure under your arms, around the fullest part of your chest.                                                                                                |
| <b>4 WAIST</b>        | Measure around your natural waistline, keeping one finger between the tape and body.                                                                           |
| <b>5 HIPS</b>         | Across the widest part of the seat.                                                                                                                            |
| <b>6 INSEAM</b>       | Without shoes, from crotch to the floor.                                                                                                                       |

What code represents your style?

- 1 Find your size and color.
- 2 The corresponding code is THE CODE you use to complete the part number on your order.

Example:

440975 (style number for the Men's Sythe Mesh Jacket CE/UKCA)

06 (sizing code M)

90 (color code Black)

**Full SKU:**      **Style**   **Size**   **Color**  
                          440975 | 06 | 90

## SIZING CODE

| Adult    |      | Adult |      | Adult |      | Adult |      | Adult |      | Pants |      | Youth/Kids |      |
|----------|------|-------|------|-------|------|-------|------|-------|------|-------|------|------------|------|
| Size     | Code | Size  | Code | Size  | Code | Size  | Code | Size  | Code | Size  | Code | Size       | Code |
| One Size | 00   | XLT   | 13   | X     | 26   | 5     | 24   | 13    | 33   | 30    | 37   | 3-4        | 79   |
| XS       | 02   | 2XL   | 14   | 1X    | 86   | 6     | 25   | 14    | 34   | 32    | 38   | 5-6        | 52   |
| S        | 04   | 2XLT  | 15   | 2X    | 87   | 7     | 27   | 16    | 35   | 34    | 39   | 6-8        | 48   |
| M        | 06   | 3XL   | 16   | 3X    | 95   | 8     | 28   | 18    | 78   | 36    | 40   | 7-8        | 54   |
| MT       | 07   | 3XLT  | 17   | 1     | 20   | 9     | 29   | S/M   | 72   | 38    | 41   | 10-12      | 49   |
| L        | 09   | 4XL   | 18   | 2     | 21   | 10    | 30   | M/L   | 91   | 40    | 42   | 14-16      | 50   |
| LT       | 10   | 4XLT  | 19   | 3     | 22   | 11    | 31   | L/XL  | 73   | 42    | 43   |            |      |
| XL       | 12   | 5XL   | 88   | 4     | 23   | 12    | 32   |       |      | 44    | 44   |            |      |

## COLOR CODE

| Name          | Code | Name             | Code | Name             | Code | Name                | Code |
|---------------|------|------------------|------|------------------|------|---------------------|------|
| Clear         | 00   | Lava Red         | 17   | Violet           | 41   | Indigo Blue         | 82   |
| White         | 01   | Mixed Color      | 18   | Deep Purple      | 42   | Royal Blue          | 83   |
| Brown         | 04   | Mirror Silver    | 22   | Smoke            | 57   | Navy                | 89   |
| Charcoal Grey | 07   | Magnesium        | 24   | Green            | 70   | Black               | 90   |
| Silver        | 08   | Lilac            | 25   | Teal             | 74   | Black with Graphics | 94   |
| Grey          | 09   | Hi-Vis Yellow    | 26   | Turquoise (Aqua) | 76   | Amber               | 95   |
| Yellow        | 10   | Heather Charcoal | 29   | Army Green       | 77   | Ivory               | 97   |
| Gold          | 11   | Red              | 30   | Denim Blue       | 79   |                     |      |
| Orange        | 12   | Pink             | 36   | Blue             | 80   |                     |      |
| Coral         | 13   | Ice              | 38   | Light Blue       | 81   |                     |      |

## APPAREL & SPORTSWEAR

### MEN'S 170 – 182 CM

|                    | XS       | S        | M         | L          | XL         | 2XL        | 3XL        |
|--------------------|----------|----------|-----------|------------|------------|------------|------------|
| <b>Chest</b>       | 81–86 cm | 88–92 cm | 96–101 cm | 107–112 cm | 117–122 cm | 127–132 cm | 137–142 cm |
| <b>Waist</b>       | 66–71 cm | 74–79 cm | 81–86 cm  | 91–97 cm   | 101–107 cm | 112–117 cm | 122–127 cm |
| <b>Hips (seat)</b> | 81–86 cm | 88–92 cm | 96–101 cm | 107–112 cm | 117–122 cm | 127–132 cm | 137–142 cm |
| <b>Arm length</b>  | 76 cm    | 79 cm    | 81 cm     | 84 cm      | 86 cm      | 89 cm      | 89 cm      |
| <b>Inseam</b>      | 79 cm    | 80 cm    | 81 cm     | 81 cm      | 81 cm      | 81 cm      | 81 cm      |

### WOMEN'S 160–176 CM

|                    | XS       | S         | M          | L          | XL         | 2XL        | 3XL        |
|--------------------|----------|-----------|------------|------------|------------|------------|------------|
| <b>Chest</b>       | 83–88 cm | 88–92 cm  | 94–99 cm   | 101–107 cm | 112–117 cm | 122–127 cm | 132–142 cm |
| <b>Waist</b>       | 69–74 cm | 74–79 cm  | 79–84 cm   | 86–91 cm   | 96–101 cm  | 107–112 cm | 117–127 cm |
| <b>Hips (seat)</b> | 91–97 cm | 96–101 cm | 101–107 cm | 109–114 cm | 112–124 cm | 122–135 cm | 140–150 cm |
| <b>Arm length</b>  | 74 cm    | 76 cm     | 76 cm      | 79 cm      | 79 cm      | 81 cm      | 81 cm      |
| <b>Inseam</b>      | 76 cm    | 76 cm     | 76 cm      | 76 cm      | 76 cm      | 76 cm      | 76 cm      |

Helmet sizing information is available on page 32.

Glove sizing information is available on page 38.





# PROTECTIVE GEAR

## UNISEX



### Advex Helmet (DOT/ECE)

|                                                  |                                             |
|--------------------------------------------------|---------------------------------------------|
| <b>929107</b> • DOT<br>XS, S, M, L, XL, 2XL, 3XL | Black (90), Matte Black (93),<br>White (01) |
|--------------------------------------------------|---------------------------------------------|

ADVEX Jet Helmet (DOT/ECE) with M-FORGE Composite shell.

- 4-year limited warranty.
- Lightweight M-FORGE® Composite shell.
- Visor with large field of view with Pinlock® Max Vision 120 anti-fog insert.
- Retractable sun visor.
- Prescription eyeglasses friendly.
- Adjustable humidity extractor vents.
- Optional side LED utility light.
- Optional VIBE Mesh integrated communication system.
- 2 shell sizes and 4 EPS sizes for better fit and comfort.
- Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- Aerodynamic shape to reduce neck fatigue.
- 1600 g ± for size large.
- DOT and ECE 2206 certified.



### Advex Jet Helmet (DOT/ECE)

|                                                  |                                             |
|--------------------------------------------------|---------------------------------------------|
| <b>929106</b> • DOT<br>XS, S, M, L, XL, 2XL, 3XL | Black (90), Matte Black (93),<br>White (01) |
|--------------------------------------------------|---------------------------------------------|

ADVEX Jet Helmet (DOT/ECE) with M-FORGE Composite shell.

- 4-year limited warranty.
- Lightweight M-FORGE® Composite shell.
- Visor with large field of view.
- Retractable sun visor.
- Prescription eyeglasses friendly.
- Adjustable humidity extractor vents.
- Optional side LED utility light.
- Optional VIBE Mesh integrated communication system.
- 2 shell sizes and 4 EPS sizes for better fit and comfort.
- Ratcheting quick-release chin strap.
- Recyclable helmet shell for minimal environmental impact.
- Aerodynamic shape to reduce neck fatigue.
- 1500 g ± for size large.
- DOT and ECE 2206 certified.

## TECHNOLOGIES



Retractable sun visor



Airflow



Jet styling



Comm integration

## HELMETS

### MEN'S & WOMEN'S

|                      | 2XS           | XS        | S             | M             | L         | XL            | 2XL           | 3XL           |
|----------------------|---------------|-----------|---------------|---------------|-----------|---------------|---------------|---------------|
| <b>Sizing Code</b>   | <b>01</b>     | <b>02</b> | <b>04</b>     | <b>06</b>     | <b>09</b> | <b>12</b>     | <b>14</b>     | <b>16</b>     |
| <b>Head (inches)</b> | 20 7⁄8-21 1⁄4 | 21 5⁄8-22 | 22 3⁄8-22 3⁄4 | 23 1⁄8-23 5⁄8 | 24-24 3⁄8 | 24 3⁄4-25 1⁄8 | 25 1⁄2-25 5⁄8 | 25 1⁄2-25 5⁄8 |
| <b>Head (cm)</b>     | 53-54         | 55-56     | 57-58         | 59-60         | 61-62     | 63-64         | 65-66         | 65-66         |



### BRP Helmet-Integrated LED Utility Light

|                                                                                                                                                                                                                                                                                                                                    |                  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| <b>929085</b> • One size                                                                                                                                                                                                                                                                                                           | Matte Black (93) |  |
| <p>Accessory for ADVEX Helmet.</p> <ul style="list-style-type: none"> <li>• Utility flashlight.</li> <li>• Tool-free installation.</li> <li>• 3 power modes.</li> <li>• 3 AAA batteries (battery box to install in the helmet, batteries not included).</li> <li>• Uses the Vibe Communication System Battery.</li> </ul>          |                  |  |
| <ul style="list-style-type: none"> <li>• Connection of the Vibe Communication System by eLinQ (electric power supplied by the vehicle).</li> <li>• Easy one-handed on/off without a button (by opening/closing).</li> <li>• High level of illumination, over 100 lumens.</li> <li>• ECE 22.06 certification for helmet.</li> </ul> |                  |  |



### Vibe Communication System by BRP

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| <b>929086</b> • One size                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Matte Black (93) |  |
| <p>VIBE Comm System with superior audio quality for the ADVEX helmet.</p> <ul style="list-style-type: none"> <li>• Premium speakers and microphone with SOUND BY Harman Kardon®</li> <li>• Mesh 2.0: robust reliability compatible with all Sena Mesh devices.</li> <li>• Largest battery capacity with 8 hours talk time at -18°C/0°F and up to 15 hours in summer conditions.</li> <li>• One-Click-to-Connect simplicity.</li> <li>• Mesh Intercom™ features superior audio quality.</li> <li>• 2 antennas for 1.6 km line of sight range.</li> </ul>                 |                  |  |
| <ul style="list-style-type: none"> <li>• Multi-channel protocol in Open Mesh allows users to switch between 9 comm channels.</li> <li>• Bluetooth® 5.1 enabled.</li> <li>• Convenience of voice-activated digital assistant access ("Hey Google"/"Hey Siri").</li> <li>• 30% faster Rapid-Charging.</li> <li>• Glove-friendly interface.</li> <li>• Compatible with all ADVEX helmets.</li> <li>• Compatible with new Can-Am Spyder handlebar control to mute/unmute, volume up or down and information display such as the battery status and mesh channel.</li> </ul> |                  |  |



### NEW Vibe Universal Comm System by BRP

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--|
| <b>929105</b> • One size                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Matte Black (93) |  |
| <p>VIBE UNIVERSAL Comm System with superior audio quality for every BRP helmet.</p> <ul style="list-style-type: none"> <li>• Sound by Harman Kardon®.</li> <li>• Mesh 2.0: Robust Reliability compatible with all Sena Mesh devices.</li> <li>• Largest battery capacity with 8 hours talk time at -18°C/0°F.</li> <li>• One-Click-to-Connect simplicity.</li> <li>• Mesh Intercom™ features superior audio quality.</li> <li>• 1 antenna for up to 1.6 km in clear terrain (range can be affected by any external element (topography, tree, snow, snow dust, electric cable, rain, etc.).</li> <li>• Multi-channel protocol in Open Mesh allows users to switch between 9 comm channels.</li> <li>• Bluetooth® 5.1 enabled.</li> </ul> |                  |  |
| <ul style="list-style-type: none"> <li>• Convenience of voice-activated digital assistant access ("Hey Google"/"Hey Siri").</li> <li>• 30% faster Rapid-Charging.</li> <li>• Glove-friendly interface.</li> <li>• Compatible with all BRP helmets.</li> <li>• Compatible with numerous new BRP snowmobile handle bar controls to mute/unmute, volume up or down and information display such as the battery status and mesh channel.</li> </ul>                                                                                                                                                                                                                                                                                          |                  |  |

For safety reasons, the battery cannot be charged in riding conditions. Considering the increased risks inherent when charging a battery, BRP has chosen NOT to make this action possible to guarantee maximum user safety.



# NEW RIDING GEAR COLLECTION 2025



1) **NEW** CAN-AM ADVEX ENDURO  
HELMET (DOT/ECE) - MATTE  
BLACK  
929108\_93

2) **NEW** MEN'S METROPOLIS  
AESIR COMMUTER JACKET  
CE/UKCA WP - BLACK  
456030\_90

3) **NEW** MEN'S METROPOLIS  
LOKI RIDING HOODIE  
CE/UKCA - BLACK  
454926\_90

4) **NEW** MEN'S RACING  
T-SHIRT - WHITE  
288024\_01

5) **NEW** WOMEN'S RACING BOXY  
T-SHIRT - HEATHER GREY  
288120\_27

6) **NEW** WOMEN'S RACING BOXY  
T-SHIRT - BLACK  
288120\_90

7) **NEW** MEN'S METROPOLIS  
AESIR COMMUTER PANTS  
CE/UKCA - BLACK  
441715\_90

8) **NEW** WOMEN'S LEATHER  
GLOVES - BLACK  
288044\_90

9) **NEW** MEN'S METROPOLIS  
LEATHER GLOVES - BLACK  
288071\_90

# RIDING GEAR

## MEN'S



CE UK  
CA

### NEW Men's Metropolis Aesir Commuter Jacket CE/UKCA WP

456030 • S, M, L, XL, 2XL, 3XL Black (90)

Men's Commuter Jacket.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Polyurethane Fiber, 3% Spandex, 1% Carbon Fiber.
- Schoeller fabric with c\_change® technology membrane for dynamic moisture management. The harder you work, the more your jacket breathes.
- Waterproof (10,000 mm) and breathable (6,000 g/m2) fabric.

- Included SAS-TEC removable Flex armor in elbow and shoulder (back armor sold separately).
- Main fabric: 70% Nylon, 26% Polyurethane fiber, 3% Elastane, 1% Carbon fiber.
- Armor position can be adjusted inside the armor pocket for optimal protection while riding.
- YKK AquaGuard® zipper at center front and hand pocket.
- Six front pockets.
- Adjustment at bottom hem with cord and cord lock.
- Front flap with magnetic closure.
- Inner cell phone pocket.
- Inner stretch cuff and cuff tab adjustment.
- Black reflective details at front and back.
- Fully sealed seams.



CE UK  
CA

### NEW Men's Metropolis Loki Riding Hoodie CE/UKCA

454926 • S, M, L, XL, 2XL, 3XL Black (90)

Men's Full Zip Protective Riding Hoodie.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Main Fabric: 86% nylon, 14% spandex.
- TPU Clear Lamination membrane.
- Inside fabric bonded with micro-fleece.
- Water repellent.
- Wind repellent.

- Abrasion resistant fabric at elbow and shoulder.
- Included SAS-TEC removable Flex armor in elbow and shoulder (back armor sold separately).
- Armor position can be adjusted inside the armor pocket at elbow.
- PU coated main zipper.
- Adjustable, snap-down hood that stays put while riding.
- Hand pockets with PU coated zipper closure.
- Inside pocket with velcro closure.
- Adjustment at bottom hem with cord and cord lock.
- Cuff tab adjustment.
- Black reflective details at elbow and at back.



CE UK  
CA

### NEW Men's Metropolis Aesir Commuter Pants CE/UKCA

441715 • 30, 32, 34, 36, 38, 40, 42, 44 Black (90)

Men's Commuter pants.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Main fabric: 87% Nylon/ 13% Elastane.
- Critical zones such as knees and hips have Kevlar® lining for abrasion resistance.
- Main fabric is stretchy and is composed of nylon fiber for superior abrasion resistance.

- Included SAS-TEC removable Flex armor in knees.
- Armor ready pockets at hips (sold separately).
- Armor knee position can be adjusted inside the armor pocket to ensure ample protection in riding position.
- Hand pocket with zipper closure.
- Venting pocket at back with mesh lining for optimal airflow.
- Back pocket with magnetic closure.
- Elastic panel with black reflective tape at back of leg opening.
- Reflective black heat transfer at back knees.

#### SIZING CODE

##### Pants

| Size | Code | Size | Code | Size | Code | Size | Code |
|------|------|------|------|------|------|------|------|
| 30   | 37   | 34   | 39   | 38   | 41   | 42   | 43   |
| 32   | 38   | 36   | 40   | 40   | 42   | 44   | 44   |



CE UK  
CA

### NEW Men's Metropolis Leather Gloves

288071 • XS, S, M, L, XL, 2XL, 3XL Black (90)

Introducing our Men's leather Can-Am Onroad glove crafted for both style and safety. Made from premium goat leather, these gloves offer a comfortable fit while providing essential protection for your hands on the road.

- Top Grain goatskin leather.
- Hard-shell TPR knuckle; CE LEVEL 1 + KNUCKLE.
- Adjustment tab cuff
- Stretch lips at fingers and upper hand for better dexterity.
- Tricot mesh liner.
- Perforated leather for breathability.

## WOMEN'S



CE UKCA

### NEW Women's Metropolis Loki Riding Hoodie CE/UKCA

288034 • XS, S, M, L, XL, 2XL

Black (90)

Women's Full Zip Protective Riding Hoodie.

- CLASS A Certified According to the EN 17092-4:2020 standard.
- CE certified (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).
- Main Fabric: 86% nylon, 14% spandex.
- Inside fabric bonded with micro-fleece.
- TPU Clear Lamination membrane.
- Water repellent.

- Wind repellent.
- Abrasion resistant fabric at elbow and shoulder.
- Included SAS-TEC removable Flex armor in elbow and shoulder (back armor sold separately).
- PU coated main zipper.
- Adjustable, snap-down hood that stays put while riding.
- Hand pockets with zipper closure.
- Adjustment at bottom hem with cord and cord lock.
- Inner cuff stretchable with thumb hole.
- Iridescent reflective details at elbow and at back.



CE UKCA

### NEW Women's Leather Gloves

288044 • XS, S, M, L, XL

Black (90), Warm Grey (15)

Introducing our Women's leather Can Am Onroad glove crafted for both style and safety. Made from premium goat leather, these gloves offer a comfortable fit while providing essential protection for your hands on the road.

- Women-specific design.
- Top grain goatskin leather.
- CE Level 1 protection.
- Index and thumb touchscreen.
- Padded knuckles, palm and thumb.
- Stretch panels at knuckles.
- Ultra short wrist cuff.
- Unlined fingers for dexterity and grip.
- Perforated holes on fingers and fourchettes.
- Reinforced grip pad for better grip and durability.



### NEW Removable KCAAir Protectors (pair)

456047 • One size

Black (90)

- SC- 1 /KCAair velcro.
- We recommend these protectors for elbow, shoulder or knees.
- CE Level 1.
- Flexible and lightweight.
- Almost invisible under clothing.
- Removable, hand washable and usable after impact.
- Sold as a pair.

## UNISEX



### NEW Removable KCAAir Velcro Protectors (pair)

456073 • One size

Black (90)

- SC- 1 / KCAair Velcro.
- We recommend these protectors for use in shoulder, elbow and knee.
- CE Level 1.
- Flexible and lightweight.
- Almost invisible under clothing.
- Removable, hand washable and usable after impact.
- Sold as a pair.



### Removable Back Protector (unit)

488098 • L

Black (90)

- SC-1 / B52 .
- Central back protector.
- CE level 1.
- Almost invisible under clothing.
- Removable, hand washable and usable after impact.
- Sold per unit.
- All jackets for men and women.



### Removable Hip Protectors (pair)

488102 • One size

Black (90)

- SC- 1 /HB
- We recommend these protectors for the hip area.
- CE Level 1.
- Flexible and lightweight.
- Almost invisible under clothing.
- Removable, hand washable and usable after impact.
- Sold as a pair.
- Pants hips for men and women.

## WOMEN'S



CE UK  
CA

### Women's Annick Jacket CE/UKCA

|                                 |                                       |  |
|---------------------------------|---------------------------------------|--|
| <b>440966</b> • XS, S, M, L, XL | Charcoal Grey (07),<br>Warm Grey (15) |  |
|---------------------------------|---------------------------------------|--|

Women's soft textile jacket with leather inserts.

CE certified (EU safety, health and environmental protection requirements) A rating.

UKCA certified (UK Conformity Assessed marking).

- Main fabric: 88% nylon, 12% spandex.
- Quilted insert: 100% leather.

- Breathable and stretchable mesh panels at underarm and side panels.
- Removable SAS-TEC Flex armor in elbow and shoulder (back armor sold separately).
- Adjustable collar and cuffs.
- 2 exterior hand pockets.
- Café collar with snap closure.
- Pre-curved arms.

### KEY BENEFITS



Great airflow



Stretch mobility



Reinforced



CE UK  
CA

### Women's Annick Jacket Plus CE/UKCA

|                           |                                       |  |
|---------------------------|---------------------------------------|--|
| <b>440974</b> • X, 1X, 2X | Charcoal Grey (07),<br>Warm Grey (15) |  |
|---------------------------|---------------------------------------|--|

Women's soft textile plus-sized jacket with leather inserts.

CE certified (EU safety, health and environmental protection requirements) A rating.

UKCA certified (UK Conformity Assessed marking).

- Main fabric: 88% nylon, 12% spandex.
- Quilted insert: 100% leather.

- Breathable and stretchable mesh panels at underarm and side panels.
- Removable SAS-TEC Flex armor in elbow and shoulder (back armor sold separately).
- Adjustable collar and cuffs.
- 2 exterior hand pockets.
- Café collar with snap closure.
- Pre-curved arms.



### Can-Am Unisex Emergency Rain Kit

|                                           |            |  |
|-------------------------------------------|------------|--|
| <b>440979</b> • XS, S, M, L, XL, 2XL, 3XL | Black (90) |  |
|-------------------------------------------|------------|--|

Can-Am Unisex Emergency Rain Kit. Two piece rain suit.

- 100% PES (polyethersulfone).
- Waterproof zipper.
- Adjustment possible at neck to avoid water entry.

- High elasticated waist.
- Zipper at leg for easy on/off.
- Storage bag for jacket and pant.
- Can-Am reflective print on chest and arm.



CE UK  
CA

### Women's Paso Moto Legging CE/UKCA

|                                 |            |  |
|---------------------------------|------------|--|
| <b>454716</b> • XS, S, M, L, XL | Black (90) |  |
|---------------------------------|------------|--|

Women's Paso Moto Legging.

- CE certified – A rating (EU safety, health and environmental protection requirements).
- UKCA certified (UK Conformity Assessed marking).

- Ultra-stretch Kevlar® knit at knees and sitting area.
- Removable SAS-TEC Flex armor in knees.
- Armor ready pockets at hips.
- Tonal reflective print.



CE UK  
CA

### Women's Paso Plus Moto Legging CE/UKCA

|                           |            |  |
|---------------------------|------------|--|
| <b>441691</b> • X, 1X, 2X | Black (90) |  |
|---------------------------|------------|--|

Women's Paso Plus Moto Legging.

CE certified (EU safety, health and environmental protection requirements) A rating.

UKCA certified (UK Conformity Assessed marking).

- Ultra stretch Kevlar knit at knees and sitting area.
- Removable SAS-TEC Flex armor in knees.
- Armor ready pockets at hips.
- Tonal reflective print.



### Unisex Aegis Rain Overpants

**441687** • XS, S, M, L, XL, 2XL, 3XL

Black (90)

Unisex Aegis Rain Overpants.  
Easily foldable.

Made to be paired up with Unisex Seil Packable Jacket.

- 85% PES (polyethersulfone), 10% TPU, 5% elastane.
- Fully seam-sealed.
- Packable in back pocket.

- Hidden hand pockets with water-resistant zippers.
- Welded waterproof chest pockets.
- Packable in back pocket.
- Lycra cuff with thumbholes.
- Adjustable cuffs.
- Reflective details.



CE UKCA

### Unisex Pearce Radiant Leather Gloves CE/UKCA

**446349** • XS, S, M, L, XL, 2XL, 3XL

Black (90)

Pearce Radiant Leather Gloves using clim8® heated technology.

CE-certified (EU safety, health and environmental protection requirements) A rating.

UKCA-certified (UK Conformity Assessed marking).

- 90% leather, 5% PES (polyethersulfone), 3% neoprene, 2% ELS.
- Main: matte finish, goatskin leather.
- Liner: fleece with antimicrobial.
- Insulation: 100 gsm at back of hand.
- Gauntlet gusset in 4-way stretch CORDURA®.
- Palm slider protector.

- Fully lined with anti-microbial brushed fleece.
- Back hand insulation 100 gms.
- Elastic wrist with hook and loop tab closure.
- Accordion rib detail throughout.
- 3 mm neoprene panel integrated under floating knuckle.
- Touchscreen index and thumb.
- Long gauntlet with adjustable hook and loop tab.
- Reflective details.
- D30 integrated knuckle.
- Includes 2 batteries and a charger.



### Battery (1-PCE) for Heated Gear

**488100** • Onesize

Black (90)

1X Lithium ion battery, 7.4V, 3,000mA.

- Rechargeable.



### Battery Charger for Heated Gear

**488101** • Onesize

Black (90)

Battery Charger with dual output.

- EU / US interchangeable plugs.



## GLOVES (measure palm width)

### UNISEX

|                      | XS        | S         | M         | L         | XL        | 2XL       | 3XL       |
|----------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| <b>Sizing Code</b>   | <b>02</b> | <b>04</b> | <b>06</b> | <b>09</b> | <b>12</b> | <b>14</b> | <b>16</b> |
| <b>Palm (inches)</b> | 3         | 3 ¼       | 3 ½       | 4         | 4 ½       | 5         | 5 ½       |
| <b>Palm (cm)</b>     | 7 ½       | 8         | 9 ½       | 10        | 11 ½      | 13        | 14        |

# SPORTSWEAR

## MEN'S



### **NEW** Men's Can-Am Signature Pullover Hoodie

**288047** • S, M, L, XL, 2XL, 3XL | Black (90)

Comfortable Pullover Hoodie sweatshirt with Can-Am logo at the front.

- 60% cotton, 40% polyester.
- Relaxed fit.
- Rib at cuffs and hem.
- Kangaroo pocket.
- Can-Am logo at center front and small artwork at sleeve.
- Can-Am label at front kangaroo pocket.



### **NEW** Men's Racing T-Shirt

**288024** • S, M, L, XL, 2XL, 3XL | Navy (89), White (01)

Relaxed T-shirt with crewneck.

- Heather colors: 50% cotton, 50% polyester.
- Solid colors: 100% cotton.
- Racing logo all over.
- Can-Am label at bottom hem.



### **Men's Performance Long Sleeve**

**288064** • S, M, L, XL, 2XL, 3XL | Black (90), Indigo Blue (82)

Performance long sleeve T-shirt.

- Moisture-wicking.
- UPF protection 40.
- Small Can-Am print on chest and large Can-Am artwork at back.



### **NEW** Men's Can-Am Signature Crewneck Sweatshirt

**288068** • S, M, L, XL, 2XL, 3XL | Black (90)

Comfortable crewneck sweatshirt with Can-Am logo on the front.

- 60% cotton, 40% polyester.
- Relaxed fit.
- Rib at cuffs and hem.
- Can-Am logo at center front and small artwork at sleeve.



## WOMEN'S



### NEW Women's Signature Pullover Hoodie

288249 • XS, S, M, L, XL

Black (90)

Comfortable Pullover Hoodie sweatshirt with Can-Am logo on the front.

- 60% cotton, 40% polyester.
- Relaxed fit.
- Rib at cuffs and hem.
- Kangaroo pocket.
- Can-Am logo at center front and small artwork at sleeve.
- Can-Am label at front kangaroo pocket.



### NEW Women's Racing Boxy T-Shirt

288120 • XS, S, M, L, XL, 2XL, 3XL

Black (90), Heather Grey (27)

Women's graphic T-shirt with crewneck and boxy fit.

- Heather colors: 50% cotton, 50% polyester.
- Solid colors: 100% cotton.
- Boxy fit.
- Racing logo all over.
- Can-Am label at bottom hem.



### NEW Women's Performance Long Sleeves

288021 • XS, S, M, L, XL, 2XL

Black (90), Purple (40)

Women's performance long sleeve T-shirt

- Moisture-wicking.
- UPF protection 40.
- Mesh panel at chest and back for breathability.
- Can-Am print on right sleeve.



### NEW Women's Can-Am Signature Crewneck Sweatshirt

288250 • XS, S, M, L, XL

Black (90)

Comfortable crewneck sweatshirt with Can-Am logo on the front.

- 60% cotton, 40% polyester.
- Relaxed fit.
- Rib at cuffs and hem.
- Can-Am logo at center front and small artwork at sleeve.

## UNISEX



### NEW Unisex Can-Am Racing Adjustable Cap

288080 • One size

Black (90), Navy (89)

Can-Am Racing cap.

- 100% cotton.
- Can-Am logo on the front.
- Racing inspiration.
- Snapback closure at back with small Can-Am label.



### Infinite Motion Can-Am Curved Cap

454959 • One size

Black (90), Charcoal Grey (07), Indigo Blue (82)

Curved Cap with woven label.

- Can-Am artwork on front woven label.
- Snapback closure at back with small Can-Am label.



## BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.

**Because it's not about the destination, it's about the journey — yours.**

Discover our brands:

***ski-doo* *LYNX* *SEA-DOO* *can-am* *ROTAX* *ALUMACraft* *MANITOUL* *QUINTREX***

[www.brp.com](http://www.brp.com)



## NOTES





[CANAMMOTORCYCLES.COM](https://canammotorcycles.com)

